




Cummins

Automotive Workshop Equipment,
Lubrication & Fluid Management

Product Catalogue



Hand Operated Oil Equipment

ULTRAFLO Gear & ATF Hand Operated Oil Pumps



- Easy down-stroke displacement
- 1.5M of anti-kink hose fitted with anti-drip nozzle & drain back nozzle holder
- Telescopic extension
- Ideal pump for the transfer of engine, gear, diff & hydraulic oils

AP-1336B ULTRAFLO 20L Oil Pump with Hose

AP-1338 ULTRAFLO 20L ATF Pump with Hose

ULTRAFLO Spring Operated Oil Pumps



- Spring operated pump with lever action oil control valve
- Delivers up to 330ml per stroke
- 1.5M of anti-kink hose
- Complete with a hose & dispense nozzle

AP-520H ULTRAFLO 20L Oil Pump with Hose

AP-560H ULTRAFLO 60L Oil Pump with Hose

ULTRAFLO Lever Action Oil Drum Pumps



- Light weight aluminium construction
- Approx. 3 strokes per litre
- Telescopic suction pipe
- 2" bung thread
- Suitable for 60L or 205L drums

AP-1316 ULTRAFLO 60L - 205L Lever Action Oil Pump

ULTRAFLO 205L Standard Rotary Barrel Pumps



- Solid cast iron construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" bung adaptor
- Suitable for most motor oils & diesel
- Not recommended for petrol or gear oil

AP-2220 ULTRAFLO 205L Oil Drum Pump only

AP-2220H ULTRAFLO 205L Oil Drum Pump with Hose & Nozzle

ULTRAFLO 205L Heavy Duty Rotary Barrel Pumps



- Solid aluminium construction
- 3 piece steel suction pipe & 2" bung adapter
- Suitable for petrol, diesel & motor oils

AP-1321 ULTRAFLO 205L Oil Drum Pump only

AP-2220H ULTRAFLO 205L Oil Drum Pump with Hose & Nozzle

ULTRAFLO Multi-Purpose Bottle Pump



- 1L capacity, 500mm long PVC hose & spout
- Self-contained preventing oil contamination whilst not in use
- Ideal for topping up difficult to access oiling points in the workshop or garage
- Applications: agricultural, earthmoving, industrial, mining, transport, workshops & service garages

AP-8100 ULTRAFLO 1L Multi-Purpose Bottle Pump

Oil Measuring Jugs



- Plastic measuring jug with flexible delivery spout & hinged protection lid
- Makes topping up of fluids easy & convenient

AP-2348 1L Multi-Purpose Bottle Pump

AP-3348 2L Multi-Purpose Bottle Pump

AP-4348 3L Multi-Purpose Bottle Pump

AP-5348 5L Multi-Purpose Bottle Pump

Air operated Oil Pumps & Kits

A-FLO Oil Distribution Kits

- We have kits to make your workshop efficient and effective. Don't feel restricted, we can also custom-build to suit your specific requirements
- Kit includes: RAASM 3:1 or 5:1 Ratio Drum Pump, 4M Hose Kit & Oil Control Gun & 10 Year Warranty

- OA205K1** Oil Distribution Kit - 3:1 Pump with Manual Oil Gun
- OA205K2** Oil Distribution Kit - 5:1 Pump with Manual Oil Gun
- OA205K3** Oil Distribution Kit - 3:1 Pump with Metered Oil Gun
- OA205K4** Oil Distribution Kit - 5:1 Pump with Metered Oil Gun

A-FLO Oil Trolley Distribution Kits

- Kit includes: Mobile Trolley Kit, 3:1 or 5:1 Ratio Pump, 10M Hose Reel, Manual or Metered Oil Gun

- OAMTK1** Mobile Trolley Kit - 3:1 Ratio Pump with Manual Oil Gun
- OAMTKR2** Mobile Trolley Kit - 5:1 Ratio Pump with Manual Oil Gun
- OAMTKR3** Mobile Trolley Kit - 3:1 Ratio Pump with Metered Oil Gun
- OAMTKR4** Mobile Trolley Kit - 5:1 Ratio Pump with Metered Oil Gun



Oil Hose Reels & Gantries

RAASM 450 Series Oil Hose Reels

- Unique smooth & trouble-free operation
- Premium steel reel with ABS spool
- Equipped with 0.6M connection hose
- Fixed mounting bracket enables easy installation
- Tried, tested and proven as a champion reel

- RA-9450.401** RAASM 450 Oil Hose Reel (10M x 1/2" ID Hose)
- RA-9450.402** RAASM 450 Oil Hose Reel (15M x 1/2" ID Hose)



RAASM 530 Series Oil Hose Reels

- Can be roof, wall or bench mounted
- Pressure Rating: 150Bar
- 1/2" BSP (f) inlet & 1/2" BSP (m) outlet

- RA-8530.401** RAASM 530 Oil Hose Reel (20M x 1/2" ID Hose)
- RA-8530.402** RAASM 530 Oil Hose Reel (25M x 1/2" ID Hose)



RAASM Closed Bilateral Service Columns

- Can be installed anywhere in the workplace and provide a unique solution where pipe work can be hidden, giving the workshop a clean professional look
- Ideal for workshop environments where access is required from both sides

- RA-39314** RAASM Closed Bilateral Service Column (4 reel capacity)
- RA-39317** RAASM Closed Bilateral Service Column (6 reel capacity)



RAASM Open Bilateral Service Columns

- This state of the art Open Bilateral Service Column has become the no.1 choice for many workshops
- Unique flat packed, easy to build & quick to install
- Provides outstanding strength, can be used with a number of reels & offers access from both sides

- RA-39324** RAASM Open Bilateral Service Column (4 reel capacity)
- RA-39328** RAASM Open Bilateral Service Column (8 reel capacity)



Oil Control Guns

RAASM Manual Oil Dispense Guns

- Aluminum and cast alloy control valves for engine and gear oils including a high flow non drip nozzle
- Max. Operating Pressure: 1500PSI
- 1/2" BSP (f) swivel
- Suitable for flow rates up to to 30L/Min

RA-38022 RAASM Standard Manual Oil Gun with flexible outlet

RAASM Electronic Metered Oil Guns

- Premium oil gun with totalizer & non re-settable total
- 1/2" inlet swivel joint with filter
- Flexible extension with semi-automatic nozzle
- Suitable for flow rates up to 40L/Min

RA-37758 RAASM Digital Metered Gun with flexible outlet

ULTRAFLO Mechanical Metered Oil Guns

- Robust handle with trigger guard
- Protective shroud on meter
- 4 digit re-settable batch totaliser
- 7 digit accumulative totaliser
- Dual gear mechanism for optimum accuracy

A-103310B ULTRAFLO Mechanical Metered Gun with flexible outlet

ULTRAFLO Preset Electronic Metered Oil Guns

- Solid cast iron construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" bung adaptor
- Suitable for most motor oils & diesel
- Not recommended for petrol or gear oil

A-102109B ULTRAFLO Electronic Preset Meter with flexible outlet

Oil Transfer Accessories

RAASM Mobile Waste Oil Drainers

- A clean and safety conscious workshop managers dream to improve the waste oil evacuation efficiency in their operation
- Equipped with level gauge, collection bowl, anti-splash screen filter & removable tool tray
- Drain bowl capacity of 15L
- Level indicator with scale in litres and gallons
- Max. Working Height: 1780mm - 1900mm
- Min. Working Height: 1270mm - 1400mm

RA-42065 RAASM 65L Mobile Waste Oil Drainer

RA-42090 RAASM 90L Mobile Waste Oil Drainer

Oil Tanks

Multi-Tanks for Diesel & Oil

- Self banded, low cost, slimline, zinc coated tank with polypropylene inner tank
- Level indicator, leak detector device, breather, filler & decals
- Forkliftable

EM-7381MT 750L Multi-Tank 980mm (L) x 770mm (W) x 1460mm (H)

EM-7382MT 1,000L Multi-Tank 1280mm (L) x 800mm (W) x 1460mm (H)

EM-7539MT 1,500L Multi-Tank 1630mm (L) x 770mm (W) x 1870mm (H)

Oil Safe® Accessories

OILSAFE Kits

- The Oil Safe® system is a fully sealing unit that prevents contaminants from getting into the oil
- The pour spouts available make dispensing quick & easy and with 10 different colors to help prevent cross contamination

OS-100509 + OS-101005 OILSAFE 5L Stumpy Drum Kit
OS-100208 + OS-101010 + AP-1336 OILSAFE 10L Pump Kit



Waste Oil Equipment

RAASM Low Level Floor Waste Oil Drainers

- Wheel mounted, floor waste oil drainers suitable for gravity draining of engine, gearbox & diff oils from all vehicles
- Anti-splash screen which can be used as a support for draining oil filters

RA-42069 RAASM Heavy Duty 50L Low Level Drainer
RA-42072 RAASM Heavy Duty 95L Low Level Drainer
RA-42075 RAASM Heavy Duty 150L Low Level Drainer



ULTRAFLO Manual Oil Suction Guns

- 500cc capacity

AP-5010 ULTRAFLO Manual Oil Suction Gun



6.5L Manual Waste Oil Extractor

- Simple hand pump creates suction to extract the fluid
- Supplied with 3 suction probes (5.9mm, 6.9mm & 9.9mm OD)

AP-MW0E6.5 Manual Waste Oil Extractor



GRAY Oil Filter Crusher

- Interlocking features prevents door from opening until the ram is fully retracted
- Removable catch basin allows the crusher to be cleaned periodically
- 100% air operated – ensures maximum efficiency for the crushing of the oil filter
- Extracts up to 95% of used oil from the filter
- Mounting stand included and no complicated setup or installation required

GM-QP-160 GRAY Air Operated Filter Crusher



A-FLO Drum Level Gauge

- Unique mechanical measuring gauge showing the fluid level in a 205L Drum
- Fits the standard 3/4" bung opening in the drum
- Suitable for oil, diesel, petrol, water, coolant, ATF, waste oil & some chemicals
- Polyethylene float easily transfers from drum to drum, fluid to fluid

FG-205 A-FLO Drum Level Gauge



Hand Operated Grease Guns

ULTRAFLO Standard Duty Lever & Pistol Grip Grease Guns



- Fitted standard with air valve & bulk filler
- Develops pressure up to 4,500 PSI
- Burst pressure: 10,000 PSI
- Complete with a rigid or 300mm flexible outlet & 4 jaw coupler

AP-1142-450 ULTRAFLO Standard Lever Action Grease Gun - 450g

AP-1152-450 ULTRAFLO Standard Pistol Grip Grease Gun - 450g

ULTRAFLO Heavy Duty Lever Action Grease Guns



- Robust aluminum die cast grease gun head & filler
- Develops pressure up to 10,000 PSI/ 690 Bar
- Complete with rigid outlet & pro 4 jaw coupler
- Recommended for industrial applications

UF-L450 ULTRAFLO HD Lever Action Grease Gun - 450g

ULTRAFLO Heavy Duty Variable Pistol Grip Grease Guns



- Ergonomical, one hand grease gun
- Robust aluminium die cast grease gun head
- Develops pressure up to 7000PSI
- Unique variable stroke for both high pressure & high volume applications
- Complete with 300mm flexible outlet & pro 4 jaw coupler

UF-P450 ULTRAFLO HD Lever Action Grease Gun - 450g

ULTRAFLO Air Operated Grease Guns



- 360 degrees swiveling body
- High pressure delivery performance of up to 3800PSI
- Continuous grease flow operation
- Complete with rigid outlet & 4 jaw coupler

AP-1161 ULTRAFLO Air Operated Grease Gun - 450g

ULTRAFLO Battery Operated Grease Guns



- 18V cordless grease gun
- 18V lithium ion battery
- 2x battery charge time: 75 mins
- Max. Operating Pressure: 10000PSI
- Continuous Flow: 85g/min
- Kit includes: grease gun, robust carry case, 2x batteries, charger & carry strap

AP-4349LI-2 ULTRAFLO 18V 450g Electric Grease Kit - Lithium Ion

Speedy Grease Guns



- Fast reliable Aussie grease gun
- Patented technology
- Operating pressure: up to 11,200PSI
- 2.5cc of grease per shot giving operators twice the pump rate of traditional guns, reducing down time to get the job done faster
- Fitted with 60kg magnet
- 800mm flexible hose extension with grease coupler

SGS-450 Speedy Grease Gun - 450g

Hand Operated Grease Equipment

ULTRAFLO Hand Operated Bucket Grease Pumps

- Robust construction
- Easy to use grease filling solution to load bulk or combination grease guns
- No mess, no waste
- Complete with universal follower plate

UF-GFP-20 ULTRAFLO 20Kg Hand Operated Bucket Pump



ULTRAFLO 2.5Kg Mini-Hand Operated Grease Pump Kits

- Foot operated spring plunger
- Delivers up to 10,000PSI
- 3M of high pressure hose & hand piece for high pressure/ high volume applications

AP-2290 ULTRAFLO 2.5Kg Mini Grease Pump Kit



ULTRAFLO 20Kg T Handle Grease Kit

- Spring operated plunger
- Delivers up to 10,000PSI
- 3M of high pressure hose & hand piece for high pressure/ high volume applications

AP-3290 ULTRAFLO 20Kg T Handle Grease Pump Kit



Air Operated Grease Pumps & Kits

RAASM High Pressure Grease Pumps & Kits

- 50:1 Ratio pump with an output of approx. 1500g/min
- Kit includes: Follower Plate, Drum Cover, 4M Delivery Hose, Grease Gun & Z Swivel
- Provides a handy mobile solution for dispensing grease
- Ideal for small to medium size workshops

RA-64031 RAASM 20Kg Air Operated Grease Kit

RA-64145 RAASM 55Kg Air Operated Grease Kit

RA-64195 RAASM 180Kg Air Operated Grease Kit



Grease Hose Reels

RAASM 450 Series Hose Grease Reels

- Unique smooth & trouble-free operation
- Premium steel reel with ABS spool
- Equipped with 0.6M connection hose
- Fixed mounting bracket enables easy installation
- Tried, tested and proven as a champion reel

RA-9450.506 RAASM 450 Series Grease Reel 15M x 3/8" ID Hose



RAASM 430 Series Grease Reels

- Can be roof, wall or bench mounted
- Equipped with 0.6M connection hose
- 3/8" BSP (f) inlet & 1/4" BSP (m) outlet connection
- Develops pressure up to 8700PSI
- Ideal for workshop installations

RA-8430.502 RAASM 430 Series Grease Reel 18M x 1/4" ID Hose

RA-8430.506 RAASM 430 Series Grease Reel 15M x 3/8" ID Hose



Grease System Accessories


ULTRAFLO Gun Couplers



- Hardened body that withstands high pressure without deformation
- Hexagonal nut for easy tightening
- 4 jaw coupler with 1/8" BSP
- Easy on and off long-life coupler

UF-HC4J ULTRAFLO Heavy Duty 4 Jaw Grease Coupler

Flexible Grease Gun Extensions



- Quality German construction
- Suitable for hand or air operated equipment
- Working Pressure: 5800PSI
- Burst Pressure: 13,750PSI

UF-GH300 ULTRAFLO 300mm Heavy Duty Grease Gun Extension
UF-GH450 ULTRAFLO 450mm Heavy Duty Grease Gun Extension

ULTRAFLO Grease Nipple Assortment Kits



- Refillable compartmentalized carry kit
- Available in kits suited to agricultural, industrial, metric, automotive & stainless steel applications

UF-4674 Agricultural Grease Nipple Assortment Kit (120Pcs)
UF-4675 Imperial Grease Nipple Assortment Kit (101Pcs)
UF-4676 Metric Grease Nipple Assortment Kit (100Pcs)

ULTRAFLO Grease Fitting Thread Tester



- A great tool box accessory to sort or identify thread sizes

GR-305016 Grease Fitting Tool

RAASM Grease Guns & Z Swivels



- Ergonomic design
- 1/4" BSP (f) inlet thread
- Available with flexible or rigid extension

RA-66889 RAASM Standard Grease Gun with flexible outlet, Z Swivel & 4 Jaw Coupler
AE-S142 RAASM Standard 1/4" BSP Z Swivel

ULTRAFLO A-Coupler



- Quick connect & disconnect – in one simple click, your coupler locks onto your grease nipple
- Clean – no more wasted grease thanks to the exclusive ball lock system
- Strong – you pay for what you get, precision machined parts to make these the most durable coupler available
- Compact – not much bigger than a standard coupler, making it very easy to get to those difficult to access grease nipples

UC-3102 ULTRAFLO A-Coupler

ULTRAFLO A-Coupler



- Reduces risk of injury
- Suitable up to 10,000PSI
- Universal fit for all grease guns
- Eliminates risk of breaking grease nipples

UC-3105 ULTRAFLO A-Valve Grease Gun Relieve Valve

Hand Operated Diesel Pumps

ULTRAFLO 205L Heavy Duty Rotary Barrel Pumps

- Solid aluminium construction
- 3 piece steel suction pipe & 2" bung adapter
- Suitable for petrol, diesel & motor oils

AP-1321 ULTRAFLO 205L Oil Drum Pump only

AP-2220H ULTRAFLO 205L Oil Drum Pump with Hose & Nozzle



Electronically Operated Diesel Pumps & Kits

ULTRAFLO 12V/ 24V Refuelling Pumps

- 12V or 24V DC operation
- Vane pump with rotor
- By-pass valve incorporated into the pump body
- Duty Cycle: 30min
- Flow Rate: up to 50L/Min
- Noise level below 70dB

FP-342000 ULTRAFLO 12V Refuelling Pump only

FP-347000 ULTRAFLO 24V Refuelling Pump only



ULTRAFLO 12V/ 24V Refuelling Pump Kits

- Portable diesel transfer unit
- Self priming electric vane pump run by a 12V or 24V electric motor
- Cast iron body
- Fixed brush motor with permanent magnet stator
- Suction capacity up to 2M
- Terminal board with switches & fuses to protect against overload
- 2M cables with clips for battery connection
- 4M fuel pipe (diameter 3/4")
- Aluminum manual or automatic shut-off nozzle & bottom suction filter
- Flow Rate: up to 50L/Min
- Duty Cycle: 30min

FP-22500C ULTRAFLO 12V Refuelling Pump Kit

FP-22600C ULTRAFLO 24V Refuelling Pump Kit



PIUSI Diesel Fuel Management Bowser

- A sturdy design for different applications eg.fixed to walls, tanks, forecourts or trailers.
- Truly an all-in-one solution with a self-priming pump fitted with bypass, hose, nozzle & FMS System built-in.
- Flow Rate: up to 70L/Min
- Accuracy: +/- 0.5%
- Up to 120 users
- Continuous AC operation
- IP55 protection
- Perfect solution for dispensing & tracking usage of diesel in non-commercial applications

FP-59400C Cube 70MC 240V Diesel Bowser 70L/Min (50 users)



Electronically Operated Diesel Pumps & Kits



High Flow Bi-Pump Refuelling Pump

- Self-priming, rotary vane pump equipped with a by-pass valve
- Flow Rate: up to 80L/Min
- Flanged 1" BSP (f) connectors
- Powerful, dependable and compact which makes this the choice for earthmovers, farmers & mining contractors on mobile storage tanks

FP-36301A PIUSI 12V Bi Pump Only, 2M Battery Cable & Clips

Dual Voltage 12/ 24V Diesel Pump



- Rotary vane type pump incorporating an integrated bypass valve & suction filter
- Provides flexibility to run on 12V or 24V battery
- Flow Rate: up to 40L/Min (12V version) & 75L/Min (24V version)
- Complete with 2M of cable, fuse, clamps & handle

FP-34104C PIUSI Dual Voltage 12/ 24V Diesel Pump 2M Battery Cable & Clips

Diesel Bowers

ULTRAFLO Cabinet Diesel Bowers



- Your total refueling solution in a box
- Built-in nozzle holster with automatic pump stop
- 240V self priming vane pump with flow rates up to 100L/Min
- Includes 4M x 1" ID delivery hose, automatic nozzle & a 4 digit flow meter
- Wall mount standard with optional pedestal available (E-800500)

E-AF3080 ULTRAFLO 80 240V Cabinet Bowser without Pedestal - 80L/Min
E-AF3000 ULTRAFLO 100 240V Cabinet Bowser without Pedestal - 100L/Min
AF-E-AF100000I ULTRAFLO Bowser Pedestal

PIUSI Diesel Fuel Management Bowser



- A sturdy design for different applications eg.fixed to walls, tanks, forecourts or trailers.
- Truly an all-in-one solution with a self-priming pump fitted with bypass, hose, nozzle & FMS System built-in.
- Flow Rate: up to 70L/Min
- Accuracy: +/- 0.5%
- Up to 120 users
- Continuous AC operation
- IP55 protection
- Perfect solution for dispensing & tracking usage of diesel in non-commercial applications

FP-59400C Cube 70MC 240V Diesel Bowser 70L/Min (50 users)
FP-F14144040 Kit inc. Software, 10 User Keys, 1 Management Key & USB Adaptor
FP-R15904000 User Key Kit - 10 Keys
FP-127080B Pedestal



Diesel Flow Meters

Diesel Fuel Flow Meters

- 3 & 4 digit mechanical display
- Resettable total
- Flow Rate: 20-120L/Min
- Accuracy: +/-1%
- Suitable for gravity feed or pump applications

FP-553000 ULTRAFLO K33 3 Digit 1" Flow Meter

FP-563000 ULTRAFLO K44 4 Digit 1" Flow Meter



Inline Digital Meters

- An economical, reliable & versatile solution for metering fluids
- Turbine type meter reinforced with polyamide body
- 1" BSP inlet/ outlet connections
- Max. Flow Rate: up to 120L/Min
- Display can be rotated to 4 different positions
- Battery powered with 2 replaceable AAA batteries
- Suitable for use with diesel fuel, kerosene & windscreen fluid

FP-407010A K24 Inline Digital 1" Flow Meter



Diesel Hose Reels

RAASM 540 & 560 Series Diesel Hose Reels

- Dual pedestal, high volume & spring rewind reel
- All metal – heavy duty construction reel
- Wall, floor, ceiling or tank mount options
- Suitable for diesel, air or water

RA-8540.601 RAASM 540 Series Hose Reel (15M x 3/4" ID Hose)

RA-8540.602 RAASM 540 Series Hose Reel (20M x 3/4" ID Hose)

RA-8540.603 RAASM 540 Series Hose Reel (15M x 1" ID Hose)

RA-8540.610 RAASM 540 Reel (10M x 1" ID Hose)

RA-8540.611 RAASM 540 Reel (10M x 3/4" ID Hose)



Diesel Nozzles

Manual Fuel Nozzles

- Flow Rates: up to 100L/Min
- Inlet 1" BSP (f) swivel
- Suitable for gravity feed systems
- Ideal for farm tank & smaller fuel dispensing applications

FS-ML1 FUELSHOT Manual Diesel Nozzle (no cover)

FS-MUL1 FUELSHOT Manual Unleaded Nozzle (no cover)



Standard Automatic Nozzles

- Automatically shuts off when tank is full
- Flow Rate: up to 60L/Min
- Includes 1" BSP (f) swivel
- Not suitable for gravity feed applications

FS-AL60 FUELSHOT 3/4" Auto Diesel Nozzle - 60L/Min

FS-UL60 FUELSHOT 3/4" Auto Unleaded Nozzle - 60L/Min



Diesel Nozzles

Slimline Automatic Nozzles



- Automatically shuts off when tank is full
- Flow Rate: up to 80L/Min
- Includes 1" BSP (f) swivel
- Not suitable for gravity feed applications

FS-AL80 FUELSHOT 3/4" Slimline Diesel Nozzle - 80L/Min
FS-UL80 FUELSHOT 3/4" Slimline Unleaded Nozzle - 80L/Min

High Flow Truck Stop Automatic Nozzles



- Automatically shuts off when tank is full
- For high flow transfer of up to 120L/Min
- Includes 1" BSP (f) swivel
- Suitable for pump applications only
- Ideal for high flow mobile pumps, truck bus or fleet operations

FS-AL120 FUELSHOT 1" Hi-Flow Truck Nozzle - 120L/Min
FS-AL140 FUELSHOT 1" Hi-Flow Diesel Nozzle

Diesel Accessories

ULTRAFLO Bulk Fuel Tank Filtration Kit



- This kit sets you up to protect your assets by ensuring every drop is filtered and your tank is protected from any moisture or condensation
- Kit includes: filter element, filter head BSP (m) fittings, gauge & T.R.A.P breather
- Removes 99.5% of contamination 10 micron or larger
- Water absorption capacity: 1 filter holds up to two cans of water
- Ideal for static above ground, overhead or mobile tanks

DF-P902973 ULTRAFLO Bulk Fuel Filter Knit, TRAP Breather & Fittings

Farm Tank Filtration



- Includes a 10 micron fuel filter, drain valve & replaceable bowl
- Rust & weather resistant
- 1" BSP inlet & outlet
- Max. Working Pressure: 150PSI (10 Bar)
- Economical fuel filters suitable for use in gravity, hand, air or electrical pump applications

UF-FF25-1 ULTRAFLO 1" Fuel Filter
UF-FFE-10M ULTRAFLO 10 Micron Replacement Filter Element only

FUELSHOT 1" Farm Tank Fuel Hose



- 25mm ID diesel, petrol & oil resistant diesel hose
- Kink resistant
- Max. Working Pressure: 145PSI
- Includes anti-static copper wire for increased safety
- Excellent UV resistant & flexibility
- 20M coil length
- Suitable for drum pumps & overhead tanks

RI-25FTH20-ASW FUELSHOT 25mm Farm Tank Fuel Hose with Anti-Static Wire



Air Water Hose Reels

ULTRAFLO R Series Plastic Enclosed Reels

- UV stabilized cover for maximum durability
- Can be mounted on floor, wall, or ceiling
- Suitable for pressures up to 250PSI
- Ideal solution for general workshop applications such as compressed air & cold water wash down

RAW1215 ULTRAFLO R Series Air Water Reel (15M x 1/2" ID Hose)

RAW1015 ULTRAFLO R Series Air Water Reel (15M x 3/8" ID Hose)



RAASM 430 Series Air Water Hose Reels

- Can be roof, wall or bench mounted
- Pressure Rating: 290PSI
- Ideal for workshop installations

RA-8430.103 RAASM 430 Series Air Water Reel (10M x 1/2" ID Hose)

RA-8430.104 RAASM 430 Series Air Water Reel (15M x 1/2" ID Hose)



RAASM 450 Series Hose Air Water Reels

- Unique smooth & trouble-free operation
- Premium steel reel with ABS spool
- Equipped with 0.6M connection hose
- Fixed mounting bracket enables easy installation
- Tried, tested and proven as a champion reel

RA-9450.101 RAASM 450 Series Air Water Reel (12M x 3/8" ID Hose)

RA-9450.104 RAASM 450 Series Air Water Reel (15M x 1/2" ID Hose)



RAASM 430 Series High Pressure & Stainless Steel Hose Reels

- Stainless steel swivel joint
- Max. Pressure: 2900PSI
- Max. Water Temperature: 130°C
- Ideal for water wash down & pressure cleaning applications
- Suitable for environments requiring good resistance to corrosion and in particular the food industries
- Other applications include abattoirs, dairies, chemical & pharmaceutical industries

RA8430.300 RAASM Standard 430 Series Reel - Bare (15M x 1/2" or 18M x 3/8" ID Hose)

RA-8434.300 RAASM Stainless Steel 430 Series Reel - Bare (15M x 1/2" or 18M x 3/8" ID Hose)



Chemical Transfer Pumps

EZI-Action® Drum Pumps

- Polypropylene & polyethylene construction that is chemical resistant
- True double-action pump, innovative, easy & patented pumping technology
- Delivers on both the up & down stroke with continuous fast flow
- Anti-pumping/ safety device. Deters access by children & unauthorised personnel
- Pumps from the base of the container, all contents emptied
- Unique EZI-Action® Adaptor Fittings (leak-free, & secure fit)
- Constructed from FDA compliant plastics – confidence with liquid food products
- Fully serviceable – dispense container after container, year after year
- Spout style – long spout. Extender hose can be attached to outlet spout

EZ-25/5 EZI-Action 25L Drum Pump C/W EZ-AMD Metal Drum

EZ-205/550 EZI-Action 205L Drum Pump W/. Orange Safety Lock C/W 4 Adaptors MB5P, M55, M63, & M69

EZ-205/55B EZI-Action 205L AdBlue® Drum Pump W/. Blue Safety Lock C/W 4 Adaptors MB5P, M55, M63 & M69



Chemical Transfer Pumps



Multi-Purpose Rotary Drum Pump

- Flow Rate: up to 20L/Min
- Available in ryton or polypropylene construction
- Ryton & stainless steel provide excellent chemical compatibility with lacquers, low viscosity chemicals & mild acids
- Polypropylene, teflon & stainless steel offer excellent chemical resistance to herbicides, pesticides chemicals & mild detergents

AP-RP90P ULTRAFLO Polypro Drum Pump (yellow)

AP-RP90R ULTRAFLO Ryton Drum Pump (black)



Industrial Grade Mini Sprayers

- Heavy duty head & pump
- Viton/ EPDM seals
- Automatic safety pressure valve
- Max. Pressure: 1L (44PSI) & 1.5L (58PSI)
- Adjustable nozzle (0.8mm)
- Ideal for solvent, brake/ parts cleaner, tire shine & degreaser

AP-3132PK 1L Hand Held Sprayer Bottle

AP-3135PK 1.5L Hand Held Sprayer Bottle



Hand Operated Pumps

BLUEQUIP Heavy Duty AdBlue® Hand Pump

- The new benchmark due to its suction capacity – self priming with easy & immediate dispensing
- Sturdy construction for many years of operation
- Materials used are 100% compatible with AdBlue®
- Flow Rate: 38 L/Min
- Kit complete with suction tube, hose & nozzle
- Ideal solution for general workshop applications such as compressed air & cold water wash down

FP-3322A50 BLUEQUIP Heavy Duty Hand Pump



BLUEQUIP Rotary Drum Pump Kit

- Heavy duty polypropylene construction
- 2M of delivery hose & stainless steel spout
- Kit complete with BLUEQUIP adapter to suit 205L drums
- Ideal for smaller 1-2 vehicle operations

FP-332080 BLUEQUIP Rotary Action Barrel Pump Kit

PP-2INGM BLUEQUIP Adblue Drum Adaptor



BLUEQUIP Gravity Feed Kit

- Manual nozzle with swivel
- 4M of BLUEQUIP delivery hose
- IBC adapter kit to suit standard IBC's
- Ideal for IBC applications where no electricity or air is available

FP-155170 BLUEQUIP IBC Gravity Feed Kit



BLUEQUIP AdBlue® Pump Kits

- Most cost effective pump system available for IBC's
- Reliable 2:1 ratio pump 40L/Min
- 4M of BLUEQUIP delivery hose
- Pump mount bracket comes with bottom IBC suction kit
- Automatic nozzle (standard)

AE-KP21M BLUEQUIP A/O IBC Kit C/W Manual Nozzle

AE-KP21A BLUEQUIP A/O IBC Kit C/W Auto Nozzle



BLUEQUIP Pro 240V AdBlue® Kit

- The most common and sought after system in the market
- Stainless Steel IBC bracket with nozzle holder
- Self priming 35L/Min pump
- Digital flow meter
- 6M x 3/4" ID hose & automatic shut-off nozzle
- Bottom suction kit

FP-201B10 BLUEQUIP Pro Kit, Auto Nozzle & Meter

FP-201B10M BLUEQUIP Basic, Manual Nozzle (no Meter)



BLUEQUIP 12V Electric Pump Kit

- 12V self priming pump
- Flow Rate: 35L/Min
- Kit includes: 6M x 3/4" BLUEQUIP hose & manual nozzle with swivel
- 205L drum or 1000L IBC suction kits available

FP-204000 BLUEQUIP 12V Pump only

FP-201AA0 BLUEQUIP 12V 205L Drum Kit comes with Drum Suction Spear

FP-201AA1 BLUEQUIP 12V 1000L IBC Kit comes with Bottom Suction Kit



AdBlue® Nozzles & Meters



BLUEQUIP Manual Nozzle

- Easy to use polypropylene construction gun
- 1" BSP (f) swivel inlet
- Flow Rate: up to 90L/Min
- Suitable for gravity feed applications

AE-PPM90ADB BLUEQUIP Manual Dispense Gun



BLUEQUIP Auto Nozzles

- Reliable, light, easy to handle & ergonomical
- Liquid compatible with AdBlue®/ DEF
- Inlet 1" BSP (m)

FP-A10SS BLUEQUIP Genius Auto Nozzle (suitable for Nozzle Holsters)



BLUEQUIP Flow Meters

- Compact, easy to read & use
- Display can be rotated to 4 different positions
- Suitable for flow rates of 6-100L/Min
- Ideal for inline metering at pump or dispense gun

AE-CK24ADPM PIUSI Inline 1" Digital Flow Meter

Accessories



BLUEQUIP Spring Retractable Hose Reels

- Increase operation efficiency, keep hoses maintained & work area clean
- Robust construction
- Fluid path compatible with AdBlue® fluid
- Heavy duty dual pedestal base

AE-VGL1910ADB BLUEQUIP Spring Operated Hose Reel - 10M x 3/4" ID Hose

AE-VGL1915ADB BLUEQUIP Spring Operated Hose Reel - 15M x 3/4" ID Hose



OCIO Level Indicator

- An innovative system for monitoring the fluid level inside tanks
- The system detects the static pressure generated by the fluid height by means of tube inserted into the tank which displays the fluid level or volume

FP-755140 OCIO Level Indicator LV/ RS Output - AdBlue®



BLUEQUIP AdBlue® 1000L IBC Cover

- Easy to install & remove when required
- 240V electric pump kit can be still mounted on side of IBC
- IBC cover ideal to protect & reduce impact of direct sunlight on AdBlue® IBC's

AE-IBCCOVER 1000L IBC Cover



BLUEQUIP Spill Containment Kits

- AdBlue® requires a dedicated supplementary spill kit (oil & fuel hydrocarbon spill kits are unsuitable & not recommended)
- Bluequip AdBlue® dedicated spill kits are the first and only AdBlue® approved spill kits in Australia
- AdBlue® spills are required to be contained, removed and remediated while maintaining compliance with EPA act/ policies
- Bluequip's spill kits are clearly identified for response to AdBlue®
- Kit includes: loose absorbent, pads, brooms, clean up utensils, gloves, waste bags & instructions

SC-PADB-40 BLUEQUIP 40L Bag Kit

SC-PADB-120 BLUEQUIP 120L Wheelie Bin Kit

SC-PADB-240 BLUEQUIP 240L Wheelie Bin Kit

Drum Trolleys & Dollies

BLUEQUIP Heavy Duty AdBlue® Hand Pump

- AP-1300** 20L Hand Drum Trolley
- AP-1303** Heavy Duty Hand Trolley (18 - 60Kg drums)
- AP-1305** Heavy Duty 3 Wheel Drum Trolley (180Kg - 205L drums)

Drum Dollies

- Provides effective means of moving drums throughout the workshop
- Industrial quality steel construction with heavy duty casters
- Gives increased mobility, reduces physical effort & drum handling
- OHS friendly

- AP-4325** Heavy Duty Drum Dolly (20L - 20Kg)
- AP-3325** Heavy Duty Drum Dolly (60L - 60Kg)

ULTRAFLO Heavy Duty Drum Cradle

- For ease of moving, safe storage & efficient decanting of 205L drums
- Heavy duty construction with maximum capacity of 495Kg
- Lifting handle also included
- Ideal for workshops & other industrial environments

- AP-7425-2** ULTRAFLO Heavy Duty Drum Cradle (180Kg)

ULTRAFLO Drum Wrench

- Designed to fit into most 2" & 3/4" drum plugs
- Wrench is hardened & tempered for increased strength
- Compact design for easy storage

- AP-2315** ULTRAFLO Drum Wrench



Spill Containment Bunding

Spill Containment Caddy

- Easy loading, moving, locating & dispensing
- This drum transporter is a carefully designed unit that avoids unnecessary spills or injuries. 205L drums are easily attached, tilted & wheeled into position by one person
- The transporter has a large 230L sump that can easily contain all the contents of the drum if it should spill or leak
- Constructed with tough polyethylene, the caddy cannot rust or corrode

- SC-SCC1** Spill Containment Caddy 230L (42Kg)

Poly Drum Dolly

- A safe, robust solution to moving 205L drums & smaller containers
- This polyethylene trolley has 4 castors (2 lockable)
- The ergonomical handle makes it easy for movement & 30L sump captures small spills
- Internal dimensions 850mm (L) x 630mm (W) x 175mm (H)

- SC-PDDH** Poly Drum Dolly for 1 x 205L Drum with Handle



Spill Containment Bunding

ULTRAFLO 205L Drum Spill Pallets



- Economical, light weight but tough & durable
- 2 drum dimensions: 1275mm (L) x 815mm (W) x 400mm (H), 23Kg (Weight)
- 4 drum Dimensions: 1275mm (L) x 1275mm (W) x 310mm (H), 33Kg (Weight)
- Easy forklift access points ensures portability

SC-PSP2 ULTRAFLO Eco Poly 2 Drum Spill Pallet

SC-PSP4 ULTRAFLO Eco Poly 4 Drum Spill Pallet

ULTRAFLO 1000L IBC Spill Containment Pallets



- Cost effective and space saving solution without compromising quality
- Bund capacity: 1300L
- Becoming mandatory to meet workplace standards for storage of IBC's
- Single IBC spill pallet dimensions: 1750mm (L) x 1650mm (W) x 875mm (H), 138kg (weight)
- Dual IBC spill pallet dimensions: 2550mm (L) x 1350mm (W) x 610mm (H), 175kg (weight)

SC-IBCSP1 ULTRAFLO Eco Poly Single IBC Bunded Pallet

SC-IBCSP2 ULTRAFLO Eco Poly Dual IBC Bunded Pallet

Oil Absorbents

Z-Sorb Industrial Oil Absorbent



- An all-natural and environmentally friendly product with no free crystalline silica
- Non-toxic in unused state
- Absorbs most liquids including acids, alkalis, oils, chemicals & petroleum products, leaving minimal residual. Also absorbs vapors & fumes
- Quick & easy to clean up
- Can be used as a sweeping compound, removing traces of oil & chemicals on concrete and asphalt
- Pallet quantity: 56 bags

ZS-22 Z-Sorb Industrial Oil Absorbent Pack 22L (15Kg)

E-Sorb Oil & Water Absorbent



- Environmentally friendly
- Non toxic
- Organic
- Meets EPA Guidelines

ES-25 E-Sorb Industrial Oil Absorbent Pack 25L (6Kg)

Spill Kits



SC-40LOSK 40 Litre Oil & Fuel Spill Kit

SC-120B-OFSK 120 Litre Budget Oil & Fuel Spill Kit

SC-240B-OFSK 240 Litre Budget Oil & Fuel Spill Kit



Fluid Monitoring Systems

OILTRACK Wireless Oil Monitoring System

- It is the ultimate solution for your large or small workshop to record, track and measure your usage.
- The OILTRACK System's return on investment is staggering.
- Up to 250 dispense points
- Up to 16 oil types
- Up to 250 users
- Up to 90 meter radio frequency
- Connection to DMS compatible
- No changes required to existing systems or pipework
- Easy to install or retrofit
- Ideal for mobile trolley applications
- Extremely versatile & user friendly
- Significantly reduces labour associated with a manual system which also causes an interruption for the technician and a loss of focus on the actual job

- A-205751** OILTRACK Master Keypad, PC Port RS232 including FMS Software
- A-205761** OILTRACK Dispense Keypad without Ticket Printer, Printer Port RS232
- A-205771** OILTRACK Dispense with Ticket Printer, Printer Port RS232
- A-102853** OILTRACK Wireless Metered Oil Gun C/W Flexible Outlet & Non Drip Tip
- A-102856** OILTRACK Wireless Metered Coolant Gun C/W Flexible Outlet & Non Drip Tip



LEVELTRACK 90GSM Battery Operated Based Tank Level Monitoring System

- The LEVELTRACK 90GSM combines several industry-first features that redefine what's possible with monitoring, static or mobile tanks
- It delivers tank information, alerts and notifications wherever it's needed via our secure web portal
- Unique low profile design
- Battery operated (spare battery available)
- Innovative enclosure & internal antenna
- Intergrated GPS functionality for locating portable assets as well as Map Pin capability
- Leverages technology that operates on 3G/4G networks for longevity after the 2G sunset
- Includes firmware updates
- Battery life is 2-3 years dependant on updates
- Alerts for low level, critical level & high alarm battery life
- 3M probe included

- SI-90GSM** LEVELTRACK 90GSM Battery Operated Unit C/W Probe
- SI-SIM** LEVELTRACK Yearly Sim Card Fee



For Australia

1300Cummins
Ph 1300 286 646



Cummins Head Office
2 Caribbean Drive
Scoresby Vic 3179 Australia
Phone 613 9765 3222
Fax 613 9763 0079
www.cummins.com.au